

10/792,072

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	3	((("3798118") or ("3492372") or ("3220966")).PN.	USPAT	OR	OFF	2006/01/24 08:31
L2	1428316	film or sheet or outer layer	US-PGPUB; USPAT	ADJ	ON	2006/01/24 08:36
L3	1209621	plastic or polyolefin\$1 or olefin\$1 or thermoplastic	US-PGPUB; USPAT	ADJ	ON	2006/01/24 08:36
L4	162387	l2 near3 l3	US-PGPUB; USPAT	ADJ	ON	2006/01/24 08:39
L5	234032	foam\$1	US-PGPUB; USPAT	ADJ	ON	2006/01/24 08:39
L6	37657	hot melt or hotmelt	US-PGPUB; USPAT	ADJ	ON	2006/01/24 08:39
L7	1740	l5 same l6	US-PGPUB; USPAT	ADJ	ON	2006/01/24 08:39
L8	117	l4 same l7	US-PGPUB; USPAT	ADJ	ON	2006/01/24 08:48
L9	2592	interior trim or (automo\$4 interior trim) or (vehicle trim panel\$1)	US-PGPUB; USPAT	ADJ	ON	2006/01/24 09:58
L10	9	l8 and l9	US-PGPUB; USPAT	ADJ	ON	2006/01/24 08:42
L11	54025	foam same (polyolefin\$1 or theromplastic or plastic)	US-PGPUB; USPAT	ADJ	ON	2006/01/24 08:53
L12	408	l11 same l6	US-PGPUB; USPAT	ADJ	ON	2006/01/24 08:53
L13	95	l4 same l12	US-PGPUB; USPAT	ADJ	ON	2006/01/24 08:53
L14	6	l13 and l9	US-PGPUB; USPAT	ADJ	ON	2006/01/24 08:53
L15	471	l4 and l9	US-PGPUB; USPAT	ADJ	ON	2006/01/24 08:55
L16	177	l11 and l15	US-PGPUB; USPAT	ADJ	ON	2006/01/24 08:56
L17	3	l6 and "l17"	US-PGPUB; USPAT	ADJ	ON	2006/01/24 08:56
L18	22	l16 and l6	US-PGPUB; USPAT	ADJ	ON	2006/01/24 08:57
L26	980	l4 with l6	US-PGPUB; USPAT	ADJ	ON	2006/01/24 09:52
L27	927	l5 with l6	US-PGPUB; USPAT	ADJ	ON	2006/01/24 09:52
L28	27	l26 same l27	US-PGPUB; USPAT	ADJ	ON	2006/01/24 09:53
L29	60723	l3 same l5	US-PGPUB; USPAT	ADJ	ON	2006/01/24 09:58

L30	1740	I5 same I6	US-PGPUB; USPAT	ADJ	ON	2006/01/24 09:58
L31	54472	interior trim or (automo\$4 interior trim) or (vehicle trim panel\$1) or (trim panel\$1) or (trim)	US-PGPUB; USPAT	ADJ	ON	2006/01/24 09:59
L32	162	I30 and I31	US-PGPUB; USPAT	ADJ	ON	2006/01/24 10:21
L33	6	("4350727" "4830900" "5187005" "5565259" "5656357" "5707735").PN.	US-PGPUB; USPAT; USOCR	ADJ	ON	2006/01/24 10:20
L34	10	I12 and I9	US-PGPUB; USPAT	ADJ	ON	2006/01/24 10:27
L35	27546	I5 near2 I3	US-PGPUB; USPAT	ADJ	ON	2006/01/24 10:45
L36	45	I35 near4 I6	US-PGPUB; USPAT	ADJ	ON	2006/01/24 10:45
L37	168	I35 same I6	US-PGPUB; USPAT	ADJ	ON	2006/01/24 10:45
L38	7	I37 and I9	US-PGPUB; USPAT	ADJ	ON	2006/01/24 10:45
L39	224	I35 and I9	US-PGPUB; USPAT	ADJ	ON	2006/01/24 10:46
L40	24	I39 and I6	US-PGPUB; USPAT	ADJ	ON	2006/01/24 10:46
L41	64364	foam near3 (plastic or thermoplastic or polyolefin\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/01/24 10:49
L42	341	I41 same (hot melt adhesive or hot melt or hotmelt)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/01/24 10:50
L43	49	I42 and (interior trim or (vehicle trim) or (automo\$4 trim) or (trim panel\$1) or (automo\$4))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/01/24 10:51
L44	1413	(polyolefin or olefin) near1 foam	US-PGPUB; USPAT	ADJ	ON	2006/01/24 11:00
L45	14	I44 with (hot melt or hotmelt)	US-PGPUB; USPAT	ADJ	ON	2006/01/24 10:59
L46	7324	foam same (olefin\$1 or polyolefin\$1)	US-PGPUB; USPAT	ADJ	ON	2006/01/24 11:00

L47	1735	foam same (hot melt or hotmelt)	US-PGPUB; USPAT	ADJ	ON	2006/01/24 11:00
L48	370	l46 and l47	US-PGPUB; USPAT	ADJ	ON	2006/01/24 11:00
L49	10	l48 and l9	US-PGPUB; USPAT	ADJ	ON	2006/01/24 11:01
L50	1234	polyolefin foam\$1	US-PGPUB; USPAT	ADJ	ON	2006/01/24 11:05
L51	1	l50 near2 (hot melt or hotmelt)	US-PGPUB; USPAT	ADJ	ON	2006/01/24 11:06
L52	39	l50 same (hot melt or hotmelt)	US-PGPUB; USPAT	ADJ	ON	2006/01/24 11:06
L53	148	"l53" and thickness	US-PGPUB; USPAT	ADJ	ON	2006/01/24 11:06
L54	32	l52 and thickness	US-PGPUB; USPAT	ADJ	ON	2006/01/24 11:06
L55	728	l6 near4 (thickness)	US-PGPUB; USPAT	ADJ	ON	2006/01/24 11:07
L56	1	l55 and l9	US-PGPUB; USPAT	ADJ	ON	2006/01/24 11:07
L57	508327	adhesive	US-PGPUB; USPAT	ADJ	ON	2006/01/24 11:15
L58	25820	l57 same l6	US-PGPUB; USPAT	ADJ	ON	2006/01/24 11:15
L59	3195	l58 same thickness	US-PGPUB; USPAT	ADJ	ON	2006/01/24 11:15
L60	13	l59 and l9	US-PGPUB; USPAT	ADJ	ON	2006/01/24 11:15
L61	447	l59 and (automobile\$1 or automotive\$1 or trim panel\$1 or trim)	US-PGPUB; USPAT	ADJ	ON	2006/01/24 11:18
L62	180	l61 and foam	US-PGPUB; USPAT	ADJ	ON	2006/01/24 11:52
L63	2	eastoflex "1060"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/01/24 11:52
L64	97	eastoflex	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/01/24 12:01

L65	10	l64 near2 "1060"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/01/24 12:01
L66	5	l65 and (melting point)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/01/24 12:03
S1	0	("20040185243").PN.	USPAT	OR	OFF	2006/01/23 11:52
S2	1	("20040185243").PN.	US-PGPUB	OR	OFF	2006/01/23 11:52
S3	127	(watanabe near tomoaki) or (aso near kazuhiko)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/01/23 12:34
S4	9	S3 and adhesive	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/01/23 12:34
S5	1460	(hideyuki near kakinuma) or (hiroaki near suzuki) or (tetsuya near oda) or (atsushi near kawata)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/01/23 13:17
S6	43	S5 and (adhesive or hot melt or hotmelt)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/01/23 13:18
S7	2990	(428/343,355r).ccls.	US-PGPUB; USPAT	ADJ	ON	2006/01/23 13:23
S8	37633	hot melt or hotmelt	US-PGPUB; USPAT	ADJ	ON	2006/01/23 13:23
S9	3	ubetack	US-PGPUB; USPAT	ADJ	ON	2006/01/23 13:24
S10	0	ubetack	USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/01/23 13:24

S11	0	ubetack or ube tack	USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/01/23 13:25
S12	1	ut2115	US-PGPUB; USPAT	ADJ	ON	2006/01/23 13:26
S13	1	ut2280	US-PGPUB; USPAT	ADJ	ON	2006/01/23 13:26
S14	1	ut2115	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/01/23 13:26
S15	109669	amorphous polyolefin\$1 or polyolefin\$1 or APAO or atactic polypropylene or atactic polybutene or ube tack or ubetack	US-PGPUB; USPAT	ADJ	ON	2006/01/23 13:28
S16	18568	melt\$3 viscosity	US-PGPUB; USPAT	ADJ	ON	2006/01/23 13:29
S17	254	S15 near3 S16	US-PGPUB; USPAT	ADJ	ON	2006/01/23 13:29
S18	15877	tackifier resin\$1 or tackifying resin\$1 or tackifier\$1	US-PGPUB; USPAT	ADJ	ON	2006/01/23 13:34
S19	17	YS resin px1150 or px1150 or arkon p140 or pentalin fk125	US-PGPUB; USPAT	ADJ	ON	2006/01/23 13:35
S20	34987	softening point	US-PGPUB; USPAT	ADJ	ON	2006/01/23 13:36
S21	431	S18 near2 S20	US-PGPUB; USPAT	ADJ	ON	2006/01/23 13:36
S22	1466	S18 same S20	US-PGPUB; USPAT	ADJ	ON	2006/01/23 13:36
S23	371922	polypropylene or polyolefin\$1 or olefin\$1	US-PGPUB; USPAT	ADJ	ON	2006/01/23 13:37
S24	150014	wax	US-PGPUB; USPAT	ADJ	ON	2006/01/23 13:37
S25	5489	S23 near1 S24	US-PGPUB; USPAT	ADJ	ON	2006/01/23 13:37
S26	217222	melting point	US-PGPUB; USPAT	ADJ	ON	2006/01/23 13:37
S27	263956	melt\$3 point or (melt\$3 temperature)	US-PGPUB; USPAT	ADJ	ON	2006/01/23 13:38
S28	167	S25 near3 S27	US-PGPUB; USPAT	ADJ	ON	2006/01/23 13:38
S29	1	S17 same S21	US-PGPUB; USPAT	ADJ	ON	2006/01/23 13:39

S30	1	S17 and S21	US-PGPUB; USPAT	ADJ	ON	2006/01/23 13:39
S31	1318	S15 same S18	US-PGPUB; USPAT	ADJ	ON	2006/01/23 13:40
S32	108	S31 and S25	US-PGPUB; USPAT	ADJ	ON	2006/01/23 15:06
S33	2	S32 and S7	US-PGPUB; USPAT	ADJ	ON	2006/01/23 13:41
S34	21	("3362940" "3573240" "3658948" "3868433" "3879492" "3896067" "3900534" "4189519" "4198327" "4298712" "4440911" "4539263" "4554304" "4602056" "4619972" "4665130" "4666778" "4977206").PN.	US-PGPUB; USPAT; USOCR	ADJ	ON	2006/01/23 13:42
S35	64	S32 and hot melt	US-PGPUB; USPAT	ADJ	ON	2006/01/23 13:44
S36	41	S32 and (auto or car\$1 or vehicle trim)	US-PGPUB; USPAT	ADJ	ON	2006/01/23 13:44
S37	109	shellwax	US-PGPUB; USPAT	ADJ	ON	2006/01/23 15:24
S38	7	S37 near3 (melt\$3)	US-PGPUB; USPAT	ADJ	ON	2006/01/23 15:25
S39	31	shellwax "100"	US-PGPUB; USPAT	ADJ	ON	2006/01/23 15:26
S40	27	S39 and (melting point)	US-PGPUB; USPAT	ADJ	ON	2006/01/23 15:27
S41	2	S39 near3 (melting point)	US-PGPUB; USPAT	ADJ	ON	2006/01/23 15:27
S42	87	Hoechst Wachs	US-PGPUB; USPAT	ADJ	ON	2006/01/23 15:53
S43	40	pp230	US-PGPUB; USPAT	ADJ	ON	2006/01/23 15:53
S44	12	S42 near S43	US-PGPUB; USPAT	ADJ	ON	2006/01/23 15:56
S45	1	("4269739").PN.	USPAT	OR	OFF	2006/01/23 15:56
S46	1	(hoechst wachs) and S45	US-PGPUB; USPAT	ADJ	ON	2006/01/23 15:57
S47	0	S46 and (mel\$3)	US-PGPUB; USPAT	ADJ	ON	2006/01/23 15:57
S48	1	S46 and (melt\$3)	US-PGPUB; USPAT	ADJ	ON	2006/01/23 15:57
S49	12	hoechst wachs pp230	US-PGPUB; USPAT	ADJ	ON	2006/01/23 15:58
S50	0	S49 near3 (melt\$3)	US-PGPUB; USPAT	ADJ	ON	2006/01/23 15:58

S51	7	S49 same (melt\$3)	US-PGPUB; USPAT	ADJ	ON	2006/01/23 15:58
S52	921	epolene	US-PGPUB; USPAT	ADJ	ON	2006/01/23 16:04
S53	14	S52 near3 (melt\$3)	US-PGPUB; USPAT	ADJ	ON	2006/01/23 16:04
S54	97	Hoechst wachs	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/01/23 16:07
S55	1871	pp "230"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/01/23 16:05
S56	1	S54 same S55	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/01/23 16:05
S57	23	S54 same (melt\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/01/23 16:07
S58	1	S57 and (pp "230")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/01/23 16:07
S59	2	techniwax	US-PGPUB; USPAT	ADJ	ON	2006/01/23 16:14
S60	0	techniwax	USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/01/23 16:14
S61	97	eastoflex	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/01/23 16:30

S62	31712	melt\$3 viscosity	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/01/23 16:27
S63	13	S61 same S62	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/01/23 16:27
S64	162	p "1060"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/01/23 16:30
S65	1	S61 near S64	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/01/23 16:30
S66	20	S61 and "1060"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/01/23 16:30
S67	0	detrophene	US-PGPUB; USPAT	ADJ	ON	2006/01/23 16:48
S68	33	dertophene	US-PGPUB; USPAT	ADJ	ON	2006/01/23 16:48
S69	4	dertophene t "105"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/01/23 16:49
S70	0	S69 near2 (softening point)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/01/23 16:49
S71	3	S69 same (softening point)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/01/23 16:50

S72	1240	escorez	US-PGPUB; USPAT	ADJ	ON	2006/01/23 16:54
S73	306	S72 same (softening point)	US-PGPUB; USPAT	ADJ	ON	2006/01/23 16:54
S74	616	arkon	US-PGPUB; USPAT	ADJ	ON	2006/01/23 16:56
S75	132	S74 same (softening point)	US-PGPUB; USPAT	ADJ	ON	2006/01/23 16:56

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	290	524/490.ccls.	US-PGPUB; USPAT	ADJ	ON	2006/01/24 18:44
L2	48	l1 and (hotmelt or hot melt)	US-PGPUB; USPAT	ADJ	ON	2006/01/24 18:44
L3	15	l2 and (amorphous)	US-PGPUB; USPAT	ADJ	ON	2006/01/24 18:45